## Security Company Licence (Type III Work) List and Guideline of Documents Required (Annual Inspection & Relocation)

Lic	ence no. of security company: Date of last inspection:				
1)	1) Letter of authorisation				
]	☐ If vetting of annual inspection is not attended by the applicant / director in person, a letter of authorisation signed by <u>the</u>				
	licensee / director must be submitted				
2)	2) Up-to-date list of directors / senior management				
	i. Dup-to-date organisation chart				
	ii. 🗌 List of all existing shareholders and directors (preferably labeled with "Personal Data")				
	iii. 🗌 List of senior management (only applicable to personnel involved in security work) (preferably labeled with				
	"Personal Data")				
] ]	The list must include the following four items:				
(	1) 🗌 Name (2) 🗌 Business Registration no./ HKID no. (3) 🗌 Post (4) 🗌 Date of appointment				
3)	3) Valid Business Registration Certificate				
	Business Registration must show the company address and its nature of business must include installation, maintenance				
	and repairing of a security device and designing a security system incorporating a security device				
4)	Auditor's report				
	i. Dp-to-date auditor's report: (i) written explanation and (ii) original of bank reference letter are required if failing to submit				
	ii. 🗌 For a negative balance, other documents are required (e.g. original of bank reference letter, balance sheet, profit &				
	loss account and financial guarantee given by the mother company) to prove a sound financial status.				
	<b><u>A</u></b> Bank reference letter should include (1) $\square$ commencing date of account (2) $\square$ account status and (3) $\square$ latest balance				
5)	Up-to-date sample list of employees (preferably labeled with "Personal Data")				
(Must include the following ten pieces of information. Names must be arranged in temporal order, with emplo joining the company earlier listed out first)					
					(1) Serial no. (2) Name (3) HKID no. (4) Date of birth (5) Date joined company
	(6) Date of commencement of employment for doing security work (7) Post				
	(8) SPP technician no. (9) SPP technician (Type D) expiry date (10) Total no. of SPP technicians				
6)	Up-to-date sample list of clients ** If services are outsourced, please submit copies of outsourcing agreement and				
outsourced company security licence **					
	(Must include the following seven pieces of information) (4) $\Box$ Caricles (0) $\Box$ News of elist (2) $\Box$ Address of equation devices (sensitive end weight equations)				
	(1) $\Box$ Serial no. (2) $\Box$ Name of client (3) $\Box$ Address of security system devices / repair and maintenance				
	<ul> <li>(4) <u>Name, phone no. and post</u> of contact person of your company</li> <li>(5) Security services provided (such as design, installation, repair and maintenance)</li> </ul>				
	<ul> <li>(5) Security services provided (such as design, installation, repair and maintenance)</li> <li>(6) Security devices provided (such as CCTV or alarm systems)</li> </ul>				
	(7) $\square$ Total no. of client				
7)	<u>Copy of valid employees' compensation insurance policy</u> (written explanation is required if failing to submit)				
.,	(Must include the following four pieces of information)				
	(1) The licensee's company must be the insured (2) Insurance should cover anywhere in Hong Kong				
	(3) Employees' compensation insurance for all employees (the compensation should be at least HK\$100,000,000 per				
	incident for 200 persons or less, or, at least HK\$200,000,000 per incident for more than 200 persons)				
	(4) 🗌 Nature of business (the company should be insured for the extent of its business subject, which includes installation,				
	maintenance and repairing of a security device and designing a security system incorporating a security device.				

	8) Copy of valid public liability insurance policy (written explanation is required if failing to submit)				
- /	(Must include the following four pieces of information)				
	<ul> <li>(1) The licensee's company must be the insured</li> <li>(2) The companyation about the st least HK\$10,000,000 per insident</li> </ul>				
	(2) The compensation should be at least HK\$10,000,000 per incident				
	(3) Insurance should cover <u>anywhere in Hong Kong</u>				
	(4) Nature of business (the company should be insured for the extent of its business subject, which includes installation,				
	maintenance and repairing of a security device and designing a security system incorporating a security device.				
9)	Three personnel files of security staff recently employed (preferably labeled with "Personal Data")				
	(If no new security personnel has been recruited since the previous annual inspection, a letter of declaration can be				
	submitted)				
	(Must include the following seven items)				
	(1)  Job application form (2)  Official employment contract				
	(3) 🗌 Statement in relation to Personal Data (Privacy) Ordinance				
	(4) Copy of security personnel permit (5) Certificate of any approved technical qualifications				
	(6) 🗌 Company vetting records				
	(7) 🗌 Notice of Commencement of employment of security personnel				
	★ <u>Company vetting records must include the following five items:</u>				
	(1) Confirmation of employment history: the company must check whether the employment history provided by the job				
	applicant is true and correct (all employment records for the past three years)				
	(2) Conducting reference or character checks: requiring each applicant to provide two non-relative referees along with their				
	full <u>names, residential addresses</u> , relationship and telephone numbers, so that the company may enquire about the				
	applicant's past performance, integrity and suitability of doing security work				
	(3) Verification of residential address (such as any public utilities, bills, bank statements and phone statements etc)				
	<ul> <li>(4) Verification of security personnel permit revoked list from Police Licensing Office website</li> </ul>				
	<ul> <li>(5) Date, method of vetting, name and post of <u>the vetting person</u></li> </ul>				
10)					
10)	Up-to-date list of equipment in the Electronic Technical Workshop (If no changes have been made since the				
	previous annual inspection, a letter of declaration can be submitted)				
	previous annual inspection, a letter of declaration can be submitted) including names of devices, manufacturers and quantity				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the				
	previous annual inspection, a letter of declaration can be submitted) including names of devices, manufacturers and quantity				
	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the				
	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)				
11)	previous annual inspection, a letter of declaration can be submitted)         □ including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Fire       (2) □ Electric shock       (3) □ Typhoon       (4) □ Red and black rainstorm warning signals         (5) □ Other hazards (if applicable)       (1) □ Fire       (1) □ Fire       (1) □ Fire				
	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)				
11)	previous annual inspection, a letter of declaration can be submitted)         □ including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Fire (2) □ Electric shock (3) □ Typhoon (4) □ Red and black rainstorm warning signals         (5) □ Other hazards (if applicable)         Regarding the standard specifications of security devices **(Must submit yearly)         □ According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Previous annual inspections of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the				
11)	previous annual inspection, a letter of declaration can be submitted)         □ including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Fire (2) □ Electric shock (3) □ Typhoon (4) □ Red and black rainstorm warning signals         (5) □ Other hazards (if applicable)         Regarding the standard specifications of security devices **(Must submit yearly)         □ According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)				
11)	previous annual inspection, a letter of declaration can be submitted)         □ including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Fire (2) □ Electric shock (3) □ Typhoon (4) □ Red and black rainstorm warning signals         (5) □ Other hazards (if applicable)         Regarding the standard specifications of security devices **(Must submit yearly)         □ According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Classification of confidential documents       (2) □ Storage of confidential documents				
11)	previous annual inspection, a letter of declaration can be submitted)         □ including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Fire (2) □ Electric shock (3) □ Typhoon (4) □ Red and black rainstorm warning signals         (5) □ Other hazards (if applicable)         Regarding the standard specifications of security devices **(Must submit yearly)         □ According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1) □ Classification of confidential documents (2) □ Storage of confidential documents         (3) □ Name and post of staff who rules that the confidential documents are no longer required				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents         (1)       Classification of confidential documents         (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required         (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents       (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required       (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must be shredded before being discarded				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals       (5)         (5)       Other hazards (if applicable)       Eegarding the standard specifications of security devices **(Must submit yearly)       According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents       (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required       (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must be shredded before being discarded				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents       (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required       (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must be shredded before being discarded       Ecommencement/ termination of employment of security personnel (since the previous annual inspection)       Evidence already submitted to the Police Licensing Office to prove any commencement / termination of employment of				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)				
11)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents       (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required       (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must be shredded before being discarded       Ecvidence already submitted to the Police Licensing Office to prove any commencement / termination of employment of security personnel         Eloor plan of premises       Floor plan of premises       Floo				
11) 12) 13) 14)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (if no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)				
11) 12) 13) 14)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)       Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents       (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required       (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must be shredded before being discarded       Ecvidence already submitted to the Police Licensing Office to prove any commencement / termination of employment of security personnel         Eloor plan of premises       Floor plan of premises       Floo				
11) 12) 13) 14)	previous annual inspection, a letter of declaration can be submitted)         including names of devices, manufacturers and quantity         Contingency plans - required for the following situations and hazards (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Fire       (2)       Electric shock       (3)       Typhoon       (4)       Red and black rainstorm warning signals         (5)       Other hazards (if applicable)         Regarding the standard specifications of security devices **(Must submit yearly)         According to the guidelines of the SGSIA : all security devices designed, installed, maintained and repaired should be done according to the relevant British Standards (B.S.) or Underwriters Laboratories Inc. (U.L.) Standard or equivalent         Instructions on the procedures of disposal of confidential documents (If no changes have been made since the previous annual inspection, a letter of declaration can be submitted)         (1)       Classification of confidential documents         (2)       Storage of confidential documents         (3)       Name and post of staff who rules that the confidential documents are no longer required         (4)       Handling of confidential documents no longer required (according to the guidelines of the SGSIA, these documents must be shredded before being discarded         Commencement/ termination of employment of security personnel (since the previous annual inspection)       Evidence already submitted to the Police Licensing Office				

16)	16) Copy of Certificate of Fire Service Installations and Equipment (Forms FS 251) FS251					
17)	17) <u>Colour photos of premises</u> (maximum two photos on each A4-size paper)					
	with (i) company name and address (ii) photo captions and the following eight pieces of information					
	(1) 🗌 Main entrance of the building (telephoto view) (2) 🗌 Directory at the ground floor lobby					
	(3) 🗌 Main entrance of company	(4) 🗌 Interior of company	(5) 🗌 Metal cabinet with locks			
	(6) 🗌 Shredding machine	(7) 🗌 Fire safety facilities	(8) 🗌 Electronic Technical Workshop			
18)	8) Copy of deed of premises or evidence of tenancy					
	i.					
	ii. 🗌 For premise used by authorisation, submission of:					
	(1) 🗌 letter of authorisation from owner / tenant and (2) 🗌 copy of deed or tenancy are required					
	** (the letter of authorisation must include: (a)  duration of authorised use					
	(b) 🗌 whether or not rent is required, if any, and the amount)					

For details, please refer to the Security and Guarding Services Ordinance (Cap.460), Matters to which the Security and Guarding Services Industry Authority Shall Have Regard When Determining an Application for a Security Company Licence, and the website of SGSIA : <u>http://www.sb.gov.hk/chi/links/sgsia/index.htm</u>

\*Revised on 2024-03-08